



# ENERG

енергия · ενεργεια



Model Indoor unit  
Outdoor unit

**PEAD-M35JAL**  
**SUZ-KA35VA6**

SEER



A+++

A++

A+

A

B

C

D

A+

kW 3,6

SEER 6,0

kWh/annum 210

SCOP



A+++

A++

A+

A

B

C

D

A+

kW

X

2,8

X

SCOP

X

4,0

X

kWh/annum

X

980

X



54dB



62dB



ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ · ENERGIJA · ENERGY · ENERGIE · ENERGI

626/2011



| A | Model                              |                                           | B                         | Indoor unit                            | PEAD-M35JAL       | PEAD-M50JAL | PEAD-M60JAL | PEAD-M71JAL |             |
|---|------------------------------------|-------------------------------------------|---------------------------|----------------------------------------|-------------------|-------------|-------------|-------------|-------------|
|   |                                    |                                           | C                         | Outdoor unit                           | SUZ-KA35VA6       | SUZ-KA50VA6 | SUZ-KA60VA6 | SUZ-KA71VA6 |             |
| D | Sound power levels on cooling mode |                                           | E                         | Inside                                 | dB                | 54          | 59          | 55          | 58          |
|   |                                    |                                           | F                         | Out-side                               | dB                | 62          | 65          | 65          | 69          |
| G | Refrigerant                        |                                           |                           |                                        | R410A GWP 1975 *1 |             |             |             |             |
| H | Cooling                            | SEER                                      |                           |                                        | 6,0               | 5,9         | 6,1         | 6,2         |             |
|   |                                    | Ⓜ Energy efficiency class                 |                           |                                        | A+                | A+          | A++         | A++         |             |
|   |                                    | Ⓚ Annual electricity consumption *2 kWh/a |                           |                                        | 210               | 290         | 325         | 396         |             |
|   |                                    | Ⓛ Design load kW                          |                           |                                        | 3,6               | 4,9         | 5,7         | 7,1         |             |
| M | Heating (Average season)           | SCOP                                      |                           |                                        | 4,0               | 4,2         | 4,0         | 3,9         |             |
|   |                                    | Ⓜ Energy efficiency class                 |                           |                                        | A+                | A+          | A+          | A           |             |
|   |                                    | Ⓚ Annual electricity consumption *2 kWh/a |                           |                                        | 980               | 1466        | 1569        | 2153        |             |
|   |                                    | Ⓛ Design load kW                          |                           |                                        | 2,8               | 4,4         | 4,5         | 6,0         |             |
|   |                                    | Ⓝ                                         | De-<br>clared<br>capacity | Ⓟ at reference de-<br>sign temperature | kW                | 2,5 (-10°C) | 3,9 (-10°C) | 4,1 (-10°C) | 5,3 (-10°C) |
|   |                                    |                                           |                           | Ⓡ at bivalent tem-<br>perature         | kW                | 2,5 (-7°C)  | 3,9 (-7°C)  | 4,1 (-7°C)  | 5,3 (-7°C)  |
|   |                                    |                                           |                           | Ⓢ at operation limit<br>temperature    | kW                | 2,5 (-10°C) | 3,9 (-10°C) | 4,1 (-10°C) | 5,3 (-10°C) |
|   |                                    | Ⓣ Back up heating capacity                | kW                        | 0,3                                    | 0,5               | 0,4         | 0,7         |             |             |

|   |                                                            |                                                         |                                              |                                                |                                                |                                                        |                                                       |
|---|------------------------------------------------------------|---------------------------------------------------------|----------------------------------------------|------------------------------------------------|------------------------------------------------|--------------------------------------------------------|-------------------------------------------------------|
|   | Deutsch                                                    | Italiano                                                | Svenska                                      | Polski                                         | Eesti                                          | Malti                                                  | Русский                                               |
|   | Français                                                   | Ελληνικά                                                | Česky                                        | Slovensko                                      | Gaeilge                                        | Suomi                                                  | Norsk                                                 |
|   | Nederlands                                                 | Português                                               | Slovensky                                    | Български                                      | Latviski                                       | Türkçe                                                 | Українська                                            |
|   | Español                                                    | Dansk                                                   | Magyar                                       | Română                                         | Lietuvių k.                                    | Hrvatski                                               |                                                       |
| A | Modell                                                     | Modello                                                 | Modell                                       | Model                                          | Mudel                                          | Mudell                                                 | Модель                                                |
|   | Modèle                                                     | Μοντέλο                                                 | Model                                        | Model                                          | Déanamh                                        | Malli                                                  | Modell                                                |
|   | Model                                                      | Modelo                                                  | Model                                        | Модел                                          | Modelis                                        | Model                                                  | Модель                                                |
|   | Modelo                                                     | Model                                                   | Modell                                       | Model                                          | Modelis                                        | Model                                                  |                                                       |
| B | Innengerät                                                 | Unità interna                                           | Inomhusenhet                                 | Jednostka wewnętrzna                           | Siseseade                                      | Unità għal ġewwa                                       | Внутренний прибор                                     |
|   | Appareil intérieur                                         | Εσωτερική μονάδα                                        | Vnitřní jednotka                             | Notranja enota                                 | Aonad laistigh                                 | Sisäyksikkö                                            | Innendørsenhet                                        |
|   | Binnenunit                                                 | Unidade interior                                        | Vnúťorná jednotka                            | Вътрешно тяло                                  | Iekštelpu ierīce                               | İç ünite                                               | Внутрішній блок                                       |
|   | Unidad interior                                            | Indendørsenhet                                          | Beltéri egység                               | Unitate de interior                            | Patalpoje montuojamas įrenginys                | Unutarnja jedinica                                     |                                                       |
| C | Außengerät                                                 | Unità esterna                                           | Utomhusenhet                                 | Jednostka zewnętrzna                           | Välisseade                                     | Unità għal barra                                       | Наружный прибор                                       |
|   | Modèle extérieur                                           | Εξωτερική μονάδα                                        | Vnější jednotka                              | Zunanja enota                                  | Aonad lasmuigh                                 | Ulkoyksikkö                                            | Utendørsenhet                                         |
|   | Buitenunit                                                 | Unidade exterior                                        | Vonkájšia jednotka                           | Външно тяло                                    | Ārtelpas ierīce                                | Diş ünite                                              | Зовнішній блок                                        |
|   | Unidad exterior                                            | Udendørsenhet                                           | Kültéri egység                               | Unitate de exterior                            | Lauke montuojamas įrenginys                    | Vanjska jedinica                                       |                                                       |
| D | Schallleistungspegel im Kühlmodus                          | Livelli di potenza sonora in modalità di raffreddamento | Bullernivå i nedkylningsläget                | Poziom mocy dźwięku w trybie chłodzenia        | Müratasemed jahutusrežiimis                    | Livelli tal-qawwa tal-ħsejjes fil-modalità tat-tkessiħ | Значения уровня звуковой мощности в режиме охлаждения |
|   | Niveaux de puissance corrects en mode de refroidissement   | Επίπεδα ισχύος ήχου στην κατάσταση ψύξης                | Úrovň hluchnosti v režimu chlazení           | Ravni zvočne moči v načinu hlajenja            | Leibhéal chumhachta fuaim e ar mhodh fuaraithe | Äänenvoimakkuustasot viilen-nystilassa                 | Lydtrykknivåer i avkjølingsmodus                      |
|   | Geluidsniveau in koelstand                                 | Níveis de potência sonora em modo de arrefecimento      | Hladiny akustického výkonu v režime chlazení | Нива на звуковата мощност в режим на охлаждане | Akustiskās jaudas līmenis dzesēšanas režīmā    | Soğutma modunda ses gücü düzeyleri                     | Рівні звукової потужності у режимі охолодження        |
|   | Niveles de potencia del sonido en el modo de refrigeración | Lydstyrkeniveauer i kølefunktion                        | Hangnyomásszintek hűtés üzem-módban          | Nivel sonor în modul de răcire                 | Garso galios lygis vėsinimo režimu             | Razine zvučnog tlaka pri hlađenju                      |                                                       |
| E | Innen                                                      | Interno                                                 | Insida                                       | Wewnętrzny                                     | Sees                                           | Ġewwa                                                  | Внутри                                                |
|   | À l'intérieur                                              | Εσωτερικό                                               | Uvnitř                                       | Znotraj                                        | Laistigh                                       | Sisäpuoli                                              | Innwendig                                             |
|   | Binnenkant                                                 | Interior                                                | Vo vnitř                                     | Вътре                                          | Iekšelpās                                      | İç taraf                                               | Усередині                                             |
|   | Interior                                                   | Indvendig                                               | Bent                                         | Interior                                       | Vidinis                                        | Unutra                                                 |                                                       |
| F | Außen                                                      | Esterno                                                 | Utsida                                       | Na zewnątrz                                    | Vāļjas                                         | Barra                                                  | Снаружи                                               |
|   | À l'extérieur                                              | Εξωτερικό                                               | Venku                                        | Zunaj                                          | Lasmuigh                                       | Ulkopuoli                                              | Utvendig                                              |
|   | Buitenkant                                                 | Exterior                                                | Vonku                                        | На открито                                     | Ārtelpā                                        | Diş taraf                                              | Назовні                                               |
|   | Exterior                                                   | Udvendig                                                | A szabadban                                  | Exterior                                       | Išorinis                                       | Vani                                                   |                                                       |
| G | Kühlmittel                                                 | Refrigerante                                            | Köldmedel                                    | Czynnik chłodniczy                             | Külmutusagens                                  | Refrigerant                                            | Хладагент                                             |
|   | Réfrigérant                                                | Ψυκτικό                                                 | Chladivo                                     | Hladino sredstvo                               | Cuisineán                                      | Kylmäaine                                              | Kjølemedium                                           |
|   | Koelmiddel                                                 | Refrigerante                                            | Chladivo                                     | Хладилен агент                                 | Aukstumaģents                                  | Soğutucu                                               | Холодоагент                                           |
|   | Refrigerante                                               | Kølemiddel                                              | Hűtőközeg                                    | Refrigerent                                    | Šaldalas                                       | Rashladno sredstvo                                     |                                                       |

|   |                                               |                                                     |                                           |                                                 |                                                      |                                           |                                               |
|---|-----------------------------------------------|-----------------------------------------------------|-------------------------------------------|-------------------------------------------------|------------------------------------------------------|-------------------------------------------|-----------------------------------------------|
|   | Deutsch                                       | Italiano                                            | Svenska                                   | Polski                                          | Eesti                                                | Malti                                     | Русский                                       |
|   | Français                                      | Ελληνικά                                            | Česky                                     | Slovensko                                       | Gaeilge                                              | Suomi                                     | Norsk                                         |
|   | Nederlands                                    | Português                                           | Slovensky                                 | Български                                       | Latviski                                             | Türkçe                                    | Українська                                    |
|   | Español                                       | Dansk                                               | Magyar                                    | Română                                          | Lietuvių k.                                          | Hrvatski                                  |                                               |
| H | Kühlen                                        | Raffreddamento                                      | Kyla                                      | Chłodzenie                                      | Jahutus                                              | Tkessiħ                                   | Охлаждение                                    |
|   | Refroidissement                               | Ψύξη                                                | Chlazení                                  | Hlajenje                                        | Fuarú                                                | Viillennys                                | Avkjøling                                     |
|   | Koelen                                        | Arrefecimento                                       | Chladienie                                | Охлаждане                                       | Dzesēšana                                            | Soğutma                                   | Охолодження                                   |
|   | Refrigeración                                 | Køling                                              | Hűtés                                     | Răcire                                          | Vėsinimas                                            | Hlađenje                                  |                                               |
| J | Energieeffizienzklasse                        | Classe di efficienza energetica                     | Energiklass                               | Klasa energetyczna                              | Energiatõhususe klass                                | Klassi tal-effiċjenza fl-użu tal-enerġija | Класс эффективности использования энергии     |
|   | Classe d'efficacité énergétique               | Κλάση ενεργειακής απόδοσης                          | Třída energetické účinnosti               | Razred energetske učinkovitosti                 | Aicme éifeachtúlachta fuinnimh                       | Energiatehokkuusluokka                    | Energieeffektivitetsklasse                    |
|   | Energie-efficiëntieklasse                     | Classe de eficiência energética                     | Trieda energetickej účinnosti             | Клас на енергийна ефективност                   | Energoefektivitātes klase                            | Enerji verimlilik sınıfı                  | Клас ефективності енергоспоживання            |
|   | Clase de eficiencia energética                | Energieeffektivitetsklasse                          | Energiahatékonysági osztály               | Clasă de eficiență energetică                   | Energijos vartojimo efektyvumo klasė                 | Klasa energetske učinkovitosti            |                                               |
| K | Jahresstromverbrauch *2                       | Consumo annuale di energia elettrica *2             | Årlig strömförbrukning *2                 | Zużycie prądu w skali roku *2                   | Aastane voolutarbimus *2                             | Konsum annwali tal-elettriku *2           | Годовое потребление электроэнергии *2         |
|   | Consommation d'électricité annuelle *2        | Ετήσια κατανάλωση ρεύματος *2                       | Roční spotřeba elektrické energie *2      | Letna poraba elektrike *2                       | Īdiū leitreachais bhliantúil *2                      | Vuotuinen sähkönkulutus *2                | Årlig strømförbruk *2                         |
|   | Jaarlijks elektriciteitsverbruik *2           | Consumo anual de electricidade *2                   | Ročná spotreba elektriny *2               | Годишна консумация на електроенергия *2         | Gada elektroenerģijas patēriņš *2                    | Yıllık elektrik tüketimi *2               | Річне споживання електроенергії *2            |
|   | Consumo anual de electricidad *2              | Årligt elförbruk *2                                 | Éves áramfogyasztás *2                    | Consum anual de electricitate *2                | Metinis elektros energijos suva-tojimas *2           | Godišnja potrošnja električne energije *2 |                                               |
| L | Lastauslegung                                 | Carico nominale                                     | Dimensionerande belastning                | Maksymalne obciążenie                           | Projekteeritud koormus                               | Tagħbija tad-disinn                       | Расчетная нагрузка                            |
|   | Charge de calcul                              | Σχεδιασμός φόρτωσης                                 | Jmenovitě zatížení                        | Nazivna obremenitev                             | Lõd deartha                                          | Laskettu kuormitus                        | Uformingsbelastning                           |
|   | Ontwerpbelasting                              | Carga nominal                                       | Projektované zaťaženie                    | Проектен товар                                  | Aprēķina slodze                                      | Tasarım yükü                              | Розрахункове навантаження                     |
|   | Carga de diseño                               | Brugslast                                           | Méretezési terhelés                       | Sarcinā nominalā                                | Projektinė apkrova                                   | Težina uređaja                            |                                               |
| M | Heizen (Jahresdurchschnitt / wärmeres Wetter) | Riscaldamento (Stagione media / calda)              | Värme (Genomsnittlig/varmare årstid)      | Ogrzewanie (Sezon umiarkowa-ny/ciepły)          | Kütmine (keskmise/soojaperiood)                      | Tishin (Staġun Medju / Aktar Shun)        | Нагрев (средний/теплый сезон)                 |
|   | Chauffage (moyenne saison / saison chaude)    | Θέρμανση (Εποχή με μέσες / υψηλότερες θερμοκρασίες) | Topení (průměrná/teplá sezóna)            | Ogrevanje (Povprečni/toplejši letni čas)        | Téamh (Séasúr Meánach / Níos teo)                    | Lämmitys (Normaali / Lämpimämpi kausi)    | Oppvarming (gjennomsnittlig / varmere årstid) |
|   | Verwarmen (gemiddeld / warmer seizoen)        | Aquecimento (Média estação / estação mais quente)   | Vykurovanie (Priemerné/teplejšie obdobie) | Отопление (Средно / Топъл сезон)                | Sildīšana (Vidējī siltā/siltā gadalaikā)             | Istma (Ortalama / Ilik mevsim)            | Опалення (у середній/теплій сезон)            |
|   | Calefacción (Promedio / temporada más cálida) | Varme (gennemsnitlig/varmere sæson)                 | Fűtés (Átlagos/meleg évszak)              | Încălzire (Anotimp normal/mai cald)             | Šildymas (vidutinis / šiltuoju sezonu)               | Zagrijavanje (Prosjek / toplija sezona)   |                                               |
| N | Nennkapazität                                 | Capacità dichiarata                                 | Deklarerad kapacitet                      | Deklarowana pojemność                           | Deklareeritud võimsus                                | Kapaċità ddikjarata                       | Гарантированная мощность                      |
|   | Capacité déclarée                             | Δηλωμένη χωρητικότητα                               | Udāvanā kapacita                          | Prijavljena zmogljivost                         | Toilleadh fógartha                                   | Ilmoitettu teho                           | Erklært kapasitet                             |
|   | Aangegeven capaciteit                         | Capacidade declarada                                | Deklarovaný výkon                         | Объявена мощност                                | Deklarētā jauda                                      | Beyan edilen kapasite                     | Гарантована потужність                        |
|   | Capacidad declarada                           | Erklæret kapacitet                                  | Néveleges teljesítmény                    | Capacitate declarată                            | Deklaruotasis pajėgumas                              | Deklarirani kapacitet                     |                                               |
| P | bei angegebener Referenztemperatur            | alla temperatura di progetto di riferimento         | vid dimensionerande referenstemperatur    | w znamionowej temperaturze odniesienia          | projekteerimise võrdlustemperatu-uri juures          | f'temperatura tad-disinn ta' referenza    | при эталонной расчетной температуре           |
|   | à la température de calcul de référence       | σε θερμοκρασία σχεδιασμού αναφοράς                  | při referenční výpočtové teplotě          | ob referenční nazivni temperaturi               | ag teocht deartha tagartha                           | perusmitoitusslämpötilassa                | ved referansetemperatur for utforming         |
|   | bij referentieontwerptemperatuur              | à temperatura nominal de referència                 | pri referenčnej výpočtovej teplote        | при изчислительна проектна температура          | aprēķina references temperatūrā                      | referans tasarım sıcaklığında             | При эталонній розрахунковій температурі       |
|   | a temperatura de diseño de referencia         | ved brugsafhængig referencetemperatur               | tervezési referencia-hőmérsékleten        | la temperatura de referință nominală            | esant norminei projektinei temperatūrai              | pri referentnoj temperaturi               |                                               |
| R | bei bivalenter Temperatur                     | alla temperatura bivalente                          | vid bivalent temperatur                   | w temperaturze biwalentnej                      | bivalentse temperatuuri juures                       | f'temperatura bivalenti                   | при бивалентной температуре                   |
|   | à température bivalente                       | σε θερμοκρασία δισθενοῦς λειτουργίας                | při bivalentní teplotě                    | pri bivalentni temperaturi                      | ag teocht dhéfhíusach                                | kaksiarvoisessa lämpötilassa              | ved bivalent temperatur                       |
|   | bij bivalente temperatuur                     | à temperatura bivalente                             | pri bivalentnej teplote                   | при бивалентна температура                      | bivalentā temperatūrā                                | iki değerli sıcaklıkta                    | При бивалентній температурі                   |
|   | a temperatura bivalente                       | ved bivalent temperatur                             | bivalens hőmérsékleten                    | la temperatura de bivalentă                     | esant perėjimo į dvejopo šildymo režimą temperatūrai | pri bivalentnoj temperaturi               |                                               |
| S | bei Temperatur an der Betrieb-sgrenze         | alla temperatura limite di funzio-namento           | vid driftstemperaturens gränsvärde        | w granicznej temperaturze roboczej              | tõötamise piirtemperatuuri juures                    | f'temperatura tal-limitu tat-thaddim      | при предельной рабочей температуре            |
|   | à température de fonctionnement limite        | σε θερμοκρασία ορίου λειτουργίας                    | při teplotě na hranici provozního limitu  | pri mejni delovni temperaturi                   | ag teocht teorann oibriúcháin                        | toimintarajalämpötilassa                  | ved temperatur for driftsgrense               |
|   | bij grens werkingstemperatuur                 | à temperatura de limite de fun-cionamento           | pri hraničnej prevádzkovej teplote        | при гранична работна температура                | ekspluatācijas robežtemperatūrā                      | çalışma limiti sıcaklığında               | При граничний робочій температурі             |
|   | a temperatura limite de funcio-namiento       | ved driftsgrænsetemperatur                          | maximális üzemi hőmérsékleten             | la temperatura limită de funcționare            | esant ribinei veikimo temperatūrai                   | pri graničnoj radnoj temperaturi          |                                               |
| T | Backup-Heizleistung                           | Capacità di riscaldamento ad-dizionale              | Kapacitet för reservvärme                 | Zaprasowa pojemność grzewcza                    | Tagavara küttevõimsus                                | Kapaċità tat-tishin ta' sostenn           | Резервная тепловая мощность                   |
|   | Capacité de chauffage d'appoint               | Δυνατότητα εφεδρικής θέρμανσης                      | Kapacita záložního vytápění               | Rezervna zmogljivost ogrevanja                  | Toilleadh téimh chúltaca                             | Varalämmitysteho                          | Sikkerhetskapa-sitet for oppvar-ming          |
|   | Reserveverwarmingcapaciteit                   | Capacidade de aquecimento de reserva                | Výkon záložného vykurovacieho telesa      | Мощност на спомагателно електрическо подгряване | Rezerves sildītāja jauda                             | Yedek ısıtma kapasitesi                   | Резервна теплава потужність                   |
|   | Capacidad de calefacción auxiliar             | Reservevarmekapacitet                               | Kisegítő fűtési teljesítmény              | Capacitate de încălzire de siguranță            | Pagalbinio šildymo pajėgumas                         | Kapacitet rezervnog grijanja              |                                               |





| PRODUCT INFORMATION (*) |
|-------------------------|
|-------------------------|

|                          |                               |                            |
|--------------------------|-------------------------------|----------------------------|
| PACKAGED AIR CONDITIONER | INDOOR MODEL<br>OUTDOOR MODEL | PEAD-M35JAL<br>SUZ-KA35VA6 |
|--------------------------|-------------------------------|----------------------------|

| Function (indicate if present) |   |
|--------------------------------|---|
| cooling                        | Y |
| heating                        | Y |

| If function includes heating: Indicate the heating season the information relates to. Indicated values should relate to one heating season at a time. Include at least the heating season |   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| Average (mandatory)                                                                                                                                                                       | Y |
| Warmer (if designated)                                                                                                                                                                    | N |
| Colder (if designated)                                                                                                                                                                    | N |

| Item            | symbol   | value | unit |
|-----------------|----------|-------|------|
| Design load     |          |       |      |
| cooling         | Pdesignc | 3.6   | kW   |
| heating/Average | Pdesignh | 2.8   | kW   |
| heating/Warmer  | Pdesignh | x     | kW   |
| heating/Colder  | Pdesignh | x     | kW   |

| Item                | symbol | value | unit |
|---------------------|--------|-------|------|
| Seasonal efficiency |        |       |      |
| cooling             | SEER   | 6.0   | -    |
| heating/Average     | SCOP/A | 4.0   | -    |
| heating/Warmer      | SCOP/W | x     | -    |
| heating/Colder      | SCOP/C | x     | -    |

| Declared capacity for cooling, at indoor temperature 27(19)°C and outdoor temperature Tj |     |     |    |
|------------------------------------------------------------------------------------------|-----|-----|----|
| Tj=35°C                                                                                  | Pdc | 3.6 | kW |
| Tj=30°C                                                                                  | Pdc | 2.7 | kW |
| Tj=25°C                                                                                  | Pdc | 1.8 | kW |
| Tj=20°C                                                                                  | Pdc | 1.9 | kW |

| Declared energy efficiency ratio, at indoor temperature 27(19)°C and outdoor temperature Tj |      |      |   |
|---------------------------------------------------------------------------------------------|------|------|---|
| Tj=35°C                                                                                     | EERd | 3.4  | - |
| Tj=30°C                                                                                     | EERd | 5.0  | - |
| Tj=25°C                                                                                     | EERd | 7.9  | - |
| Tj=20°C                                                                                     | EERd | 10.2 | - |

| Declared capacity for heating/Average season, at indoor temperature 20°C and outdoor temperature Tj |     |     |    |
|-----------------------------------------------------------------------------------------------------|-----|-----|----|
| Tj=-7°C                                                                                             | Pdh | 2.5 | kW |
| Tj=2°C                                                                                              | Pdh | 1.6 | kW |
| Tj=7°C                                                                                              | Pdh | 1.7 | kW |
| Tj=12°C                                                                                             | Pdh | 2.1 | kW |
| Tj=bivalent temperature                                                                             | Pdh | 2.5 | kW |
| Tj=operating limit                                                                                  | Pdh | 2.5 | kW |

| Declared coefficient of performance/Average season, at indoor temperature 20°C and outdoor temperature Tj |      |     |   |
|-----------------------------------------------------------------------------------------------------------|------|-----|---|
| Tj=-7°C                                                                                                   | COPd | 3.0 | - |
| Tj=2°C                                                                                                    | COPd | 4.0 | - |
| Tj=7°C                                                                                                    | COPd | 5.3 | - |
| Tj=12°C                                                                                                   | COPd | 6.8 | - |
| Tj=bivalent temperature                                                                                   | COPd | 3.0 | - |
| Tj=operating limit                                                                                        | COPd | 2.3 | - |

| Declared capacity for heating/Warmer season, at indoor temperature 20°C and outdoor temperature Tj |     |   |    |
|----------------------------------------------------------------------------------------------------|-----|---|----|
| Tj=2°C                                                                                             | Pdh | x | kW |
| Tj=7°C                                                                                             | Pdh | x | kW |
| Tj=12°C                                                                                            | Pdh | x | kW |
| Tj=bivalent temperature                                                                            | Pdh | x | kW |
| Tj=operating limit                                                                                 | Pdh | x | kW |

| Declared coefficient of performance/Warmer season, at indoor temperature 20°C and outdoor temperature Tj |      |   |   |
|----------------------------------------------------------------------------------------------------------|------|---|---|
| Tj=2°C                                                                                                   | COPd | x | - |
| Tj=7°C                                                                                                   | COPd | x | - |
| Tj=12°C                                                                                                  | COPd | x | - |
| Tj=bivalent temperature                                                                                  | COPd | x | - |
| Tj=operating limit                                                                                       | COPd | x | - |

| Declared capacity for heating/Colder season, at indoor temperature 20°C and outdoor temperature Tj |     |   |    |
|----------------------------------------------------------------------------------------------------|-----|---|----|
| Tj=-7°C                                                                                            | Pdh | x | kW |
| Tj=2°C                                                                                             | Pdh | x | kW |
| Tj=7°C                                                                                             | Pdh | x | kW |
| Tj=12°C                                                                                            | Pdh | x | kW |
| Tj=bivalent temperature                                                                            | Pdh | x | kW |
| Tj=operating limit                                                                                 | Pdh | x | kW |
| Tj=-15°C                                                                                           | Pdh | x | kW |

| Declared coefficient of performance/Colder season, at indoor temperature 20°C and outdoor temperature Tj |      |   |   |
|----------------------------------------------------------------------------------------------------------|------|---|---|
| Tj=-7°C                                                                                                  | COPd | x | - |
| Tj=2°C                                                                                                   | COPd | x | - |
| Tj=7°C                                                                                                   | COPd | x | - |
| Tj=12°C                                                                                                  | COPd | x | - |
| Tj=bivalent temperature                                                                                  | COPd | x | - |
| Tj=operating limit                                                                                       | COPd | x | - |
| Tj=-15°C                                                                                                 | COPd | x | - |

| Bivalent temperature |      |    |    |
|----------------------|------|----|----|
| heating/Average      | Tbiv | -7 | °C |
| heating/Warmer       | Tbiv | x  | °C |
| heating/Colder       | Tbiv | x  | °C |

| Operating limit temperature |     |     |    |
|-----------------------------|-----|-----|----|
| heating/Average             | Tol | -10 | °C |
| heating/Warmer              | Tol | x   | °C |
| heating/Colder              | Tol | x   | °C |

| Cycling interval capacity        |       |      |    |
|----------------------------------|-------|------|----|
| for cooling                      | Pcycc | x    | kW |
| for heating                      | Pcyh  | x    | kW |
| Degradation co-efficient cooling | Cdc   | 0.25 | -  |

| Cycling interval efficiency      |        |      |   |
|----------------------------------|--------|------|---|
| for cooling                      | EERcyc | x    | - |
| for heating                      | COPcyc | x    | - |
| Degradation co-efficient heating | Cdh    | 0.25 | - |

| Electric power input in power modes other than 'active mode' |          |       |   |
|--------------------------------------------------------------|----------|-------|---|
| off mode                                                     | POFF     | 6     | W |
| standby mode                                                 | PSB      | 6     | W |
| thermostat - off mode                                        | PTO(c/h) | 26/26 | W |
| crankcase heater mode                                        | PCK      | 0     | W |

| Annual electricity consumption |     |     |       |
|--------------------------------|-----|-----|-------|
| cooling                        | QCE | 210 | kWh/a |
| heating/Average                | QHE | 980 | kWh/a |
| heating/Warmer                 | QHE | x   | kWh/a |
| heating/Colder                 | QHE | x   | kWh/a |

| Capacity control (indicate one of three options) |   |
|--------------------------------------------------|---|
| fixed                                            | N |
| staged                                           | N |
| variable                                         | Y |

| Other items                        |     |          |         |
|------------------------------------|-----|----------|---------|
| Sound power level (indoor/outdoor) | LWA | 54/62    | dB(A)   |
| Global warming potential           | GWP | 1975     | kgCO2eq |
| Rated air flow (indoor/outdoor)    | -   | 840/2178 | m3/h    |

|                                                |                                                                           |
|------------------------------------------------|---------------------------------------------------------------------------|
| Contact details for obtaining more information | Name and address of the manufacturer or of its authorized representative. |
|------------------------------------------------|---------------------------------------------------------------------------|

(\*) This information is based on the "product information requirement" in COMMISSION REGULATION (EU) No206/2012.

| TECHNICAL DOCUMENTATION (1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------|------|--------|-------|------|-------------------------|--|--|--|---------|------|-----|---|-----------------|--------|-----|---|----------------|--------|---|---|----------------|--------|---|---|-------------------------|--|--|--|---------|------|----|---|-----------------|--------|----|---|----------------|--------|---|---|----------------|--------|---|---|-------------|--|--|--|------------------------------------|-----|-------|-------|-------------|---|-------|---|--------------------------|-----|------|----------|
| PACKAGED AIR CONDITIONER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | INDOOR MODEL                                                                                                                                                                                                                                          | PEAD-M35JAL | 250H900W732D (mm) |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | OUTDOOR MODEL                                                                                                                                                                                                                                         | SUZ-KA35VA6 | 550H800W285D (mm) |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Function                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | cooling                                                                                                                                                                                                                                               | Y           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | heating                                                                                                                                                                                                                                               | Y           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| The heating season                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Average (mandatory)                                                                                                                                                                                                                                   | Y           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Warmer (if designated)                                                                                                                                                                                                                                | N           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Colder (if designated)                                                                                                                                                                                                                                | N           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Capacity control                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | fixed                                                                                                                                                                                                                                                 | N           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | staged                                                                                                                                                                                                                                                | N           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | variable                                                                                                                                                                                                                                              | Y           |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 40%;">item</th> <th style="width: 20%;">symbol</th> <th style="width: 20%;">value</th> <th style="width: 20%;">unit</th> </tr> </thead> <tbody> <tr style="background-color: #ffff00;"> <td colspan="4">Seasonal efficiency (2)</td> </tr> <tr> <td>cooling</td> <td>SEER</td> <td>6.0</td> <td>-</td> </tr> <tr> <td>heating/Average</td> <td>SCOP/A</td> <td>4.0</td> <td>-</td> </tr> <tr> <td>heating/Warmer</td> <td>SCOP/W</td> <td>x</td> <td>-</td> </tr> <tr> <td>heating/Colder</td> <td>SCOP/C</td> <td>x</td> <td>-</td> </tr> <tr style="background-color: #ffff00;"> <td colspan="4">Energy efficiency class</td> </tr> <tr> <td>cooling</td> <td>SEER</td> <td>A+</td> <td>-</td> </tr> <tr> <td>heating/Average</td> <td>SCOP/A</td> <td>A+</td> <td>-</td> </tr> <tr> <td>heating/Warmer</td> <td>SCOP/W</td> <td>x</td> <td>-</td> </tr> <tr> <td>heating/Colder</td> <td>SCOP/C</td> <td>x</td> <td>-</td> </tr> <tr style="background-color: #ffff00;"> <td colspan="4">Other items</td> </tr> <tr> <td>Sound power level (indoor/outdoor)</td> <td>LWA</td> <td>54/62</td> <td>dB(A)</td> </tr> <tr> <td>Refrigerant</td> <td>-</td> <td>R410A</td> <td>-</td> </tr> <tr> <td>Global warming potential</td> <td>GWP</td> <td>1975</td> <td>kgCO2eq.</td> </tr> </tbody> </table> |                                                                                                                                                                                                                                                       |             |                   | item | symbol | value | unit | Seasonal efficiency (2) |  |  |  | cooling | SEER | 6.0 | - | heating/Average | SCOP/A | 4.0 | - | heating/Warmer | SCOP/W | x | - | heating/Colder | SCOP/C | x | - | Energy efficiency class |  |  |  | cooling | SEER | A+ | - | heating/Average | SCOP/A | A+ | - | heating/Warmer | SCOP/W | x | - | heating/Colder | SCOP/C | x | - | Other items |  |  |  | Sound power level (indoor/outdoor) | LWA | 54/62 | dB(A) | Refrigerant | - | R410A | - | Global warming potential | GWP | 1975 | kgCO2eq. |
| item                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | symbol                                                                                                                                                                                                                                                | value       | unit              |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Seasonal efficiency (2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| cooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SEER                                                                                                                                                                                                                                                  | 6.0         | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| heating/Average                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | SCOP/A                                                                                                                                                                                                                                                | 4.0         | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| heating/Warmer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SCOP/W                                                                                                                                                                                                                                                | x           | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| heating/Colder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SCOP/C                                                                                                                                                                                                                                                | x           | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Energy efficiency class                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| cooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SEER                                                                                                                                                                                                                                                  | A+          | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| heating/Average                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | SCOP/A                                                                                                                                                                                                                                                | A+          | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| heating/Warmer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SCOP/W                                                                                                                                                                                                                                                | x           | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| heating/Colder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | SCOP/C                                                                                                                                                                                                                                                | x           | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Other items                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                       |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Sound power level (indoor/outdoor)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | LWA                                                                                                                                                                                                                                                   | 54/62       | dB(A)             |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Refrigerant                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | -                                                                                                                                                                                                                                                     | R410A       | -                 |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| Global warming potential                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | GWP                                                                                                                                                                                                                                                   | 1975        | kgCO2eq.          |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |
| identification and signature<br>of the person empowered to<br>bind the supplier                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <div style="text-align: center;"> </div> <div>             Akira Hidaka<br/>             Department Manager,<br/>             Quality Assurance Department<br/>             MITSUBISHI ELECTRIC CONSUMER PRODUCTS (THAILAND) CO.,LTD           </div> |             |                   |      |        |       |      |                         |  |  |  |         |      |     |   |                 |        |     |   |                |        |   |   |                |        |   |   |                         |  |  |  |         |      |    |   |                 |        |    |   |                |        |   |   |                |        |   |   |             |  |  |  |                                    |     |       |       |             |   |       |   |                          |     |      |          |

(1) This information is based on COMMISSION DELEGATED REGULATION (EU)No626/2011.

(2) SEER/SCOP values are measured based on FprEN 14825:2011: Testing and rating at part load conditions and calculation of seasonal performance