

TECHNICAL DOCUMENTATION
-------------------------

TECHNICAL DOCUMENTATION & PRODUCT INFORMATION
---

PRODUCT MODEL	PEFY-WL63VMHS-A
---------------	-----------------

Requirements	Information	
(1) Overall efficiency (%)	50.6	
(2) Measurement category	D	
(3) Efficiency category	Total	
(4) Efficiency grade(N)	49	
(5) VSD	N/A	
(6) Year of manufacture	2021	
(7) Manufacturer	<p>                     MITSUBISHI ELECTRIC CORPORATION                      HEAD OFFICE: TOKYO BUILDING 2-7-3, MARUNOUCHI,                      CHIYODA-KU, TOKYO 100-8310, JAPAN                      AUTHORIZED REPRESENTATIVE IN EU:                      MITSUBISHI ELECTRIC EUROPE B.V.                      HARMAN HOUSE, 1GEORGE STREET, UXBRIDGE,                      MIDDLESEX UB8 1QQ, U.K.                      COMMERCIAL REGISTRATION NO.33279602                 </p>	
(8) Model number	PEFY-WL63VMHS-A	
(9)	Motor power input (kW)	0.22
	Flow rate (m <sup>3</sup> /s)	0.36
	Pressure (Pa)	273
(10) Rotations per minute	1300	
(11) Specific ratio	1.0	
(12) Information relevant for facilitating disassembly, recycling or disposal at end-of-life	<p>                     Your product should be disposed of separately from household waste in line with local laws and regulations.                      When this product reaches its end of life, dispose of it at your local waste collection point/recycling centre.                      The separate collection and recycling of your product at the time of disposal will help conserve natural resources and ensure that it is recycled in a manner that protects human health and the environment.                      For more information for WEEE recyclers please contact us at <a href="http://www.mitsubishielectric.eu/contact_us_form">http://www.mitsubishielectric.eu/contact_us_form</a> </p>	
(13) Information relevant to minimise impact on the environment and ensure optimal life expectancy as regards installation, use and maintenance of the fan	<p>                     In addition to daily checks (eg cleaning of filters), periodic maintenance and checks by a skilled technician are required to ensure that the unit is maintained in a good condition for a long period of time, and that it may be used with confidence.                 </p>	
(14) Description of additional items used when determining the fan energy efficiency	—	